



NOTES:

1. THE BASE METAL OF ALL SIGNS SHALL BE NEW SHEET ALUMINUM OF ALLOYS 6061-T6 OR 5052-H38 CONFORMING TO THE REQUIREMENTS OF ASTM DESIGNATION B209, WITH A THICKNESS OF 0.125".
2. B-SERIES LETTERING MAY BE USED IF THE STREET NAME IS TOO LONG FOR MAXIMUM LENGTH OF SIGN.
3. LETTERING AND ABBREVIATIONS SHALL BE AS SHOWN ON THIS DRAWING AND IN CONFORMANCE WITH THE CURRENT EDITION OF THE CALIFORNIA MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES.
4. WOOD POSTS SHALL BE 4"X4" S4S PRESSURE TREATED CONFORMING TO SECTION 56 OF CALTRANS SPECIFICATIONS, EXCEPT THAT REDWOOD SHALL NOT BE ALLOWED.

COUNTY OF SONOMA DEPARTMENT OF TRANSPORTATION AND PUBLIC WORKS		
ADVANCE STREET NAME SIGN		
DATE: MAY 2004	REVISED: MAY 2007	
APPROVED BY:	SCALE: NONE	DRAWING NO. 704